









قيمت محصولات 2023 Akubela					
	Product Image	Product nr	Description	Price	Product Link
Smart home		SmartPanel Pro (C319H)	Smartpanel Pro (Android Version 9) 1.10" capacitive touch screen with energy saving mode 2.zigbee3 3. body material: plastic 4.Bluetooth,wifi, Camera 5.Powered by PoE or external source 6.Supports US or European electrical wall box mounting 7. .Reception of a HD picture from the door communicator 8. IO: 8 9.Two-way communication based on SIP v2.0 protocol 10.RS485 port: Support 11.Relays out: 2 12.Installation: Wall-mounted & Desktop 13.POE or 12V DC Connector (if not using PoE)	650\$	
		SmartPanel (X933H)	SmartPanel (X933H) 1.7" capacitive touch screen with energy saving mode 2.zigbee3 3. body material: plastic 4.Bluetooth,wifi 5.Powered by PoE or external source 6.Supports US or European electrical wall box mounting 7. .Reception of a HD picture from the door communicator 8. IO: 8 9.Two-way communication based on SIP v2.0 protocol 10.RS485 port: Support 11.Relays out: 2 12.Installation: Wall-mounted & Desktop 13.POE or 12V DC Connector (if not using PoE)	540\$	
		HyPanel Supreme (PHX1-ST)	1.12.35" capacitive touch screen with energy saving mode 2.zigbee3 3. body material: Metal 4.Bluetooth 5,wifi6 5.Dual microphone and Dual Speakers 6.Kinds of sensors built-in. 7. 6 gang relays 8. 8 channels digital input 9.Screen Resolution: 2000*1200 pixels 10.RS485 port: Support 12.Installation: Wall-mounted 13.Power Supply: 12~24V DC 14.Android 12 15.camera : 5megapixel	900\$	
		HyPanel Supreme (PHX1-ST)	1.12.35" capacitive touch screen with energy saving mode 2.zigbee3 3. body material: Metal 4.Bluetooth 5,wifi6 5.Dual microphone and Dual Speakers 6.Kinds of sensors built-in. 7. 6 gang relays 8. 8 channels digital input 9.Screen Resolution: 2000*1200 pixels 10.RS485 port: Support 12.Installation: Wall-mounted 13.Power Supply: 12~24V DC 14.Android 12 15.camera : 5megapixel 16.KNX Support	1000\$	

		<p>HyPanel Ultra (PH81)</p>	<ol style="list-style-type: none"> 1.10.36" capacitive touch screen with energy saving mode 2.zigbee3 3. body material: Metal 4.Bluetooth 5,wifi6 5.Dual microphone and Dual Speakers 6.Kinds of sensors built-in. 7. 6 gang relays 8. 8 channels digital input 9.Screen Resolution: 2000*1200 pixels 10.RS485 port: Support 12.Installation: Wall-mounted 13.Power Supply: 12~24V DC 14.Android 12 15.camera : 5megapixel 	<p>750\$</p>	
		<p>HyPanel Ultra (PH81)</p>	<ol style="list-style-type: none"> 1.10.36" capacitive touch screen with energy saving mode 2.zigbee3 3. body material: Metal 4.Bluetooth 5,wifi6 5.Dual microphone and Dual Speakers 6.Kinds of sensors built-in. 7. 6 gang relays 8. 8 channels digital input 9.Screen Resolution: 2000*1200 pixels 10.RS485 port: Support 12.Installation: Wall-mounted 13.Power Supply: 12~24V DC 14.Android 12 15.camera : 5megapixel 16.KNX support 	<p>850\$</p>	
		<p>Hypanel Pro N (PG71-N)</p>	<ol style="list-style-type: none"> 1.Power supply:220Vac 2.Operaton System:Android 10.0 3.Wi-Fi,Bluetooth 4.Ethernet ports: 1xRJ45 5.ZigBee 3.0 6.Relays out: 2-gang 7.Material: fireproof PC 8.Screen:8" multi-touch screen 9.Screen Resolution: 1200x800 pixels 10.Environment:For indoor use only 11.Working Humidity: 10~90% 12.Working Temperature:-10°C ~ +55°C 13.Storage Temperature:-30°C ~ +70°C 14.Installation:Wall flush mounting 15.Infrared remote control:Support 16.Sensors Built in:Proximity sensor , Light Sensor, Temperature Sensor , Humidity Sensor 17.KNX Support 	<p>730\$</p>	
		<p>Hypanel Pro N (PG71-N)</p>	<ol style="list-style-type: none"> 1.Power supply:220Vac 2.Operaton System:Android 10.0 3.Wi-Fi,Bluetooth 4.Ethernet ports: 1xRJ45 5.ZigBee 3.0 6.Relays out: 2-gang 7.Material: fireproof PC 8.Screen:8" multi-touch screen 9.Screen Resolution: 1200x800 pixels 10.Environment:For indoor use only 11.Working Humidity: 10~90% 12.Working Temperature:-10°C ~ +55°C 13.Storage Temperature:-30°C ~ +70°C 14.Installation:Wall flush mounting 15.Infrared remote control:Support 16.Sensors Built in:Proximity sensor , Light Sensor, Temperature Sensor , Humidity Sensor 	<p>630\$</p>	

		<p>Hypanel Pro (PG71)</p>	<ol style="list-style-type: none"> 1.Power supply:220Vac 2.Operation System:Android 10.0 3.Wi-Fi,Bluetooth 4.Ethernet ports: 1xRJ45 5.ZigBee 3.0 6.Relays out: 2-gang 7.Material: fireproof PC 8.Screen:8" multi-touch screen 9.Screen Resolution: 1200x800 pixels 10.Environment:For indoor use only 11.Working Humidity: 10~90% 12.Working Temperature:-10°C ~ +55°C 13.Storage Temperature:-30°C ~ +70°C 14.Installation:Wall flush mounting 15.Infrared remote control:Support 16.Camera: 5MP 17.Sensors Built in:Proximity sensor , Light Sensor, Temperature Sensor , Humidity Sensor 	<p>650\$</p>	
		<p>Hypanel Pro (PG71)</p>	<ol style="list-style-type: none"> 1.Power supply:220Vac 2.Operation System:Android 10.0 3.Wi-Fi,Bluetooth 4.Ethernet ports: 1xRJ45 5.ZigBee 3.0 6.Relays out: 2-gang 7.Material: fireproof PC 8.Screen:8" multi-touch screen 9.Screen Resolution: 1200x800 pixels 10.Environment:For indoor use only 11.Working Humidity: 10~90% 12.Working Temperature:-10°C ~ +55°C 13.Storage Temperature:-30°C ~ +70°C 14.Installation:Wall flush mounting 15.Infrared remote control:Support 16.Camera: 5MP 17.Sensors Built in:Proximity sensor , Light Sensor, Temperature Sensor , Humidity Sensor 18.KNX support 	<p>750\$</p>	
		<p>Hypanel Lux (RT61)</p>	<ol style="list-style-type: none"> 1.Power supply:220Vac 2.Operation System:Android 10.0 3.Wi-Fi,Bluetooth 4.Ethernet ports: 1xRJ45 5.ZigBee 3.0 6.Relays out: 2-gang 7.Material: fireproof PC 8.Screen:4" multi-touch screen 9.Screen Resolution: 480x480 pixels 10.Environment:For indoor use only 11.Working Humidity: 10~90% 12.Working Temperature:-10°C ~ +55°C 13.Storage Temperature:-20°C ~ +65°C 14.Installation:Wall flush mounting 	<p>900\$</p>	
		<p>Hypanel Plus</p>	<ol style="list-style-type: none"> 1.Power supply:220Vac 2.Operation System:Android 10.0 3.Wi-Fi,Bluetooth 4.Ethernet ports: 1xRJ45 5.ZigBee 3.0 6.Relays out: 2-gang 7.Material: fireproof PC 8.Screen:4" multi-touch screen 9.Screen Resolution: 480x480 pixels 10.Environment:For indoor use only 11.Working Humidity: 10~90% 12.Working Temperature:-10°C ~ +55°C 13.Storage Temperature:-30°C ~ +70°C 14.Installation:Wall flush mounting 15.Sensors Built in:Proximity sensor , Light Sensor, Temperature Sensor , Humidity Sensor 	<p>400\$</p>	

		<p>Hypanel (P551)</p>	<p>1.Power supply:220Vac 2.Operation System:Android 10.0 3.Wi-Fi,Bluetooth 4.Ethernet ports: 1xRJ45 5.ZigBee 3.0 6.Relays out: 2-gang 7.Material: fireproof PC 8.Screen:4" multi-touch screen 9.Screen Resolution: 480x480 pixels 10.Environment:For indoor use only 11.Working Humidity: 10~90% 12.Working Temperature:-10°C ~ +55°C 13.Storage Temperature:-20°C ~ +65°C 14.Installation:Wall flush mounting</p>	<p>300\$</p>	
		<p>Hypanel (P551)</p>	<p>1.Power supply:220Vac 2.Operation System:Android 10.0 3.Wi-Fi,Bluetooth 4.Ethernet ports: 1xRJ45 5.ZigBee 3.0 6.Relays out: 2-gang 7.Material: fireproof PC 8.Screen:4" multi-touch screen 9.Screen Resolution: 480x480 pixels 10.Environment:For indoor use only 11.Working Humidity: 10~90% 12.Working Temperature:-10°C ~ +55°C 13.Storage Temperature:-20°C ~ +65°C 14.Installation:Wall flush mounting 15.KNX Support</p>	<p>360\$</p>	
		<p>Hypanel Lite (K541)</p>	<p>1.Power supply:220Vac 2.4 key 3.Wi-Fi,Bluetooth 4.Ethernet ports: 1xRJ45 5.ZigBee 3.0 6.Relays out: 2-gang 7.Material: fireproof PC 8.Screen:3.27" touch screen 9.Screen Resolution: 320x480 pixels 10.Environment:For indoor use only 11.Working Humidity: 10~90% 12.Working Temperature:-10°C ~ +55°C 13.Storage Temperature:-20°C ~ +65°C 14.Installation:Wall flush mounting</p>	<p>190\$</p>	